


## YDEEVNEDEKLARATION nr. IG1388

- |   |   |
|---|---|
| 1. Byggevaretype:   | Fast vertikal trafikskilt, vejkantpæl   |
| 2. Byggevareidentifikation:   | Vejkantpæl Type D3  |
| 3. Byggevarens tilsigtedes anvendelse   | Vejsidemarkering  |
| 4. Fabrikantens navn og adresse   | Van Berde Sp. Zo.o. Sp.K.<br>Tuszów Narodowy 397<br>39-332Tuszów Narodowy, Poland<br>VAT: PL 8172084346   |
| 5. Navn og adresse på den bemyndigede repræsentant:                                 | Ikke relevant.  |
| 6. Systemerne for vurdering og kontrol af konstansen af byggevarens ydeevne (AVCP): | System 1  |
| 7. Harmoniseret standard & Notificeret Organ:                                       | EN 12899-3:2007<br>Notified bode No. 1388<br>Silnicni vyvoj – ZDZ spol. S. r.o.<br>Jilkova 76, 615 00 Brno, Czeck Republic.<br><br>Certifikat of constancy of performance<br>No. 1388-CPR-25.2/2020 |

## 8. Deklareret ydeevne

Type	Performance																																
<p><b>Dimensions</b></p> <table border="1"> <tr> <td>Length</td> <td>1200 mm</td> </tr> <tr> <td>Width</td> <td>107 mm</td> </tr> <tr> <td>Width</td> <td>120 mm</td> </tr> <tr> <td>Height above road surface</td> <td>1000 mm</td> </tr> <tr> <td>Weight</td> <td>1.2 kg</td> </tr> <tr> <td>Shape</td> <td>Triangular</td> </tr> <tr> <td>Foundation</td> <td>Concrete Composite</td> </tr> </table>	Length	1200 mm	Width	107 mm	Width	120 mm	Height above road surface	1000 mm	Weight	1.2 kg	Shape	Triangular	Foundation	Concrete Composite	<p><b>Essential characteristics</b></p> <table border="1"> <tr> <td>Resistance to horizontal loads</td> <td>Pass WL2</td> </tr> </table> <p><b>Performance under vehicle impact (passive safety)</b></p> <table border="1"> <tr> <td>Dynamic impact resistance (material requirement)</td> <td>Pass</td> </tr> <tr> <td>Dynamic impact resistance (functional requirement)</td> <td>Pass</td> </tr> <tr> <td>Dynamic impact resistance (passive requirement)</td> <td>Pass</td> </tr> </table> <p><b>Visibility characteristics</b></p> <table border="1"> <tr> <td>Chromaticity coordinates</td> <td>Pass</td> </tr> <tr> <td>Luminance factor</td> <td>Pass</td> </tr> </table> <p><b>Durability</b></p> <table border="1"> <tr> <td>Resistance to corrosion</td> <td>NPD, No metal parts</td> </tr> <tr> <td>Resistance to UV radiation (accelerated natural weathering test)</td> <td>Pass</td> </tr> <tr> <td>Dangerous substances</td> <td>NPD</td> </tr> </table>	Resistance to horizontal loads	Pass WL2	Dynamic impact resistance (material requirement)	Pass	Dynamic impact resistance (functional requirement)	Pass	Dynamic impact resistance (passive requirement)	Pass	Chromaticity coordinates	Pass	Luminance factor	Pass	Resistance to corrosion	NPD, No metal parts	Resistance to UV radiation (accelerated natural weathering test)	Pass	Dangerous substances	NPD
Length	1200 mm																																
Width	107 mm																																
Width	120 mm																																
Height above road surface	1000 mm																																
Weight	1.2 kg																																
Shape	Triangular																																
Foundation	Concrete Composite																																
Resistance to horizontal loads	Pass WL2																																
Dynamic impact resistance (material requirement)	Pass																																
Dynamic impact resistance (functional requirement)	Pass																																
Dynamic impact resistance (passive requirement)	Pass																																
Chromaticity coordinates	Pass																																
Luminance factor	Pass																																
Resistance to corrosion	NPD, No metal parts																																
Resistance to UV radiation (accelerated natural weathering test)	Pass																																
Dangerous substances	NPD																																
																																	

9. Ydeevnen for den byggevare, der er anført i punkt 1 og 2, er i overensstemmelse med den deklarerede ydeevne i punkt 8. Denne ydeevnedeklaration udstedes på eneansvar af den fabrikant, der er anført i punkt 4.

Underskrevet for og på vegne af fabrikanten:



Christian Daluiso, Adm. Direktør

Odense d. 12. juli 2024